



M20842



45° BSP O-RING FEMALE SWEPT ELBOW 60° CONE BS5200 / ISO 12151-6 (THRUST-WIRE NUT)
 HEMBRA BSP CON O-RING CODO DE 45° ASIENTO A 60°
 BS5200 / ISO 12151-6 (TUERCA CON SEGURO)
 DKOR 45° BOGEN 60° KONUS MIT O-RING
 (BSP-GEWINDE NACH BS5200 / ISO 12151-6, GESTIFTETE MUTTER)
 FEMMINA GAS 45° CONO 60° O-RING
 BS5200 / ISO 12151-6 (DADO SPINATO)

M20843



45° BSP O-RING FEMALE SWEPT ELBOW 60° CONE BS5200 / ISO 12151-6 (SLIP-ON NUT)
 HEMBRA BSP CON O-RING CODO DE 45° ASIENTO A 60°
 BS5200 / ISO 12151-6 (TUERCA LIBRE)
 DKOR 45° BOGEN 60° KONUS MIT O-RING
 (BSP-GEWINDE NACH BS5200 / ISO 12151-6, HINTERLEGTE MUTTER)
 FEMMINA GAS 45° CONO 60° O-RING
 BS5200 / ISO 12151-6 (DADO PASSANTE)

| PART. REF. | HOSE BORE | | | THREAD | DIMENSIONS mm | | | | | |
|--------------|-----------|--------|------|-------------|---------------|-------|------|------|---|----------------|
| | DN | inch | Size | | T | B | A | C | E | H ₂ |
| M20843-04-04 | 6 | 1/4" | - 04 | 1/4" -19 | 4,0 | 36,0 | 4,9 | 15,0 | | 19 |
| M20843-06-06 | 10 | 3/8" | - 06 | 3/8" -19 | 7,0 | 44,5 | 6,1 | 18,5 | | 22 |
| M20843-08-08 | 12 | 1/2" | - 08 | 1/2" -14 | 9,3 | 52,0 | 6,5 | 20,5 | | 27 |
| M20842-10-10 | 16 | 5/8" | - 10 | 5/8" -14 | 12,5 | 63,5 | 9,7 | 27,5 | | 30 |
| M20842-12-12 | 19 | 3/4" | - 12 | 3/4" -14 | 15,5 | 71,0 | 8,5 | 29,0 | | 32 |
| M20842-16-12 | 25 | 1" | - 16 | 3/4" -14 | 15,0 | 79,5 | 8,5 | 29,0 | | 32 |
| M20842-16-16 | 25 | 1" | - 16 | 1" -11 | 19,8 | 90,5 | 10,6 | 35,6 | | 38 |
| M20842-16-20 | 25 | 1" | - 16 | 1 1/4" - 11 | 26,0 | 93,0 | 10,5 | 38,0 | | 50 |
| M20842-20-20 | 31 | 1 1/4" | - 20 | 1 1/4" - 11 | 26,0 | 101,5 | 10,5 | 39,0 | | 50 |
| M20842-20-24 | 31 | 1 1/4" | - 20 | 1 1/2" - 11 | 32,0 | 118,5 | 12,5 | 40,5 | | 60 |
| M20842-24-20 | 38 | 1 1/2" | - 24 | 1 1/4" - 11 | 26,0 | 106,5 | 10,5 | 42,0 | | 50 |
| M20842-24-24 | 38 | 1 1/2" | - 24 | 1 1/2" -11 | 32,0 | 118,0 | 12,5 | 45,0 | | 60 |
| M20842-32-32 | 51 | 2" | - 32 | 2" -11 | 42,0 | 134,0 | 16,1 | 47,0 | | 70 |